



SafeLight

Lighting made simple

SafeLight 1500

SafeLight is made with the newest LED technology on the market. This means that you get both increased safety and the possibility to interconnect LED strips up to 150 meters from one single outlet.

Eledge Lighting are the leading Nordic brand developing LED strip lighting for building and construction sites.

With SafeLight we can now offer the best and safest solution on the market.



THIS IS SAFELIGHT

- Our most powerful LED strip with 1500lm/m
- Inter-connectable up to 150 meters
- · Integrated self-illuminating safety effect
- Rough and robust built enclosure made for tough conditions
- · Quick and easy install.
- Plug & Play
- One product can replace loads of other types of lighting equipment
- Easy to handle, safe to use

EXPERIENCE AND DEVELOPMENT IN FOCUS

We have been working with lighting for many years. We have learned that the technology is constantly changing and that development are rapid. This is why we are constantly improving our products and services.

The Nordic environment requires the best product quality to withstand both cold and weathered conditions.

This LED strip should make the work easier and safer for those who use it. This is why we focus on the details.



USER-FRIENDLY

The Eledge lighting SafeLight strip is easy to handle, requires no maintenance and is quickly mounted. SafeLight has the power to light up entire buildings and replace several old types of lighting.

SELF-ILLUMINATING

SafeLight features a unique, built-in system for emergencies. The self-illuminating material helps create guidelines to show you the nearest exit if the power is cut.



With SafeLight, we have made it possible to connect up to 150 meters of lighting from a single outlet.





SAVE STORAGE SPACE AND SHIPPING COSTS

A typical lighting fixture are placed every 5 meter to light up lager areas.

They are about the same size as one roll of our LED strip. In this case you would need 5 lighting fixtures to light up the same area as our 25m LED strip.

For any project, this will save costs for both shipping, handling and storage.



SafeLight



Product images







Accessories

Article	EAN	Product
151230	7090049800177	SafeLight Connection cable for LED strip (spare)
150375	7090049800146	Safelight T-Split joint

Specifications

Article	155130/155140	
EAN	7090049800207	
Voltage	220-240V	
Length	25 meters	
Max interconnected length	150 meters	
With x Height	18mm x 8mm	
Brightness	1500lm/m	
Power	300W - 12W/m	
Colour temperature	3000K/4000K	
Beam angle	120°	
IP class	IP65	
Ambient temperature	-25°c til +45°c	
LED type, quantity	SMD2835, 144LED/m	
Lifetime	30.000 hours (L70)	
Dimmable	Yes	
Measurements	32x26x39 cm	
Gross weight	7kg / 6kg	
Certificates	CE, Nemko	